

Sensortek Technology Corp.

昇佳電子股份有限公司

論壇簡報



6732

昇佳電子股份有限公司

免責聲明

- This presentation includes forward-looking statements. All statements, other than statements of historical facts, that address activities, events or developments that Sensortek Technology Corp. expects or anticipates will or may occur in the future (including but not limited to projections, targets, estimates and business plans) are forward-looking statements.
- Sensortek's actual results or developments may differ materially from those indicated by these forward-looking statements as a result of various factors and uncertainties, including but not limited to material cost increase, market demand, change in legal, financial and regulatory frameworks, government policies, financial market conditions, and other risks and factors beyond our control.
- Sensortek does not undertake any obligation to publicly update any forward-looking statement to reflect events or circumstances after the date on which any such statement is made or to reflect the occurrence of unanticipated events.

議程

I. 公司簡介

II. 市場概況

III. 公司產品

IV. 經營實績

V. 未來發展

I. 公司簡介

關於我們


Company Name	Sensortek Technology Corp.	
Founded	December 1, 2009	
Capitalization	NT 489,126,180	
Chairman and CEO	Sheng-Su Lee	
Number of Employees	163	
Location	Tai Yuen Hi-Tech Industrial Park, Jhubei City, Hsinchu County	
Products	• 光學感測晶片 Optical Sensor - 近接感測晶片 Proximity Sensor (PS) - 環境光感測晶片 Ambient Light Sensor (ALS) - 色彩感測晶片 Color Temperature Sensor (RGB) - 閃頻偵測晶片 Flicker detection sensors • 微機電感測晶片 MEMS Sensor - 加速度感測晶片 Accelerometer Sensor (GS)	
Listing	Taipei Exchange Market (TPEX) 06/08/2020 (上櫃) Emerging Stock Market (TESM) 06/18/2019 (興櫃)	

里程碑


- 2009: Team established
- 2010: [Optical] Proximity (PS) & ambient light sensors (ALS)
- 2012: [MEMS] Accelerometers (g-sensors)
- 2013: Spinoff
- 2017: [Optical] Invisible PS+ALS solution
- 2018: [Optical] Under display & slit type PS+ALS solution
[MEMS] Low-power g-sensors
- 2019: [Optical] RGB sensors for smartphone screens
- Listed at the Emerging Stock Market (TESM) 興櫃
- 2020: Listed at the Taipei Exchange Market (TPEX) 上櫃
[Optical] RGB + flicker sensors for smartphone cameras

II. 市場概況

全球智慧型手機銷量預估




各品牌智慧型手機銷量預估



*Note: Our forecast of OPPO now includes shipments of Realme and OnePlus, Huawei includes New Honor

Figure: Worldwide Smartphone Shipment Forecast by Brand (Unit: M)



Source: Isaiah Research, August 2021

III. 公司產品

光學感測晶片 → 手機顯示屏應用

Optical sensor for displays :

Proximity Sensors (PS)

近接感測晶片 → 關屏防誤觸
turns off the display (anti-touch)

Ambient Light Sensors (ALS)

環境光感測晶片 → 調節螢幕亮度
... screen brightness control

G1: PS + ALS 2-in-1 visible solution (2010)

G2: PS + ALS 2-in-1 invisible solution (2018)

- Under-display 屏下方方案 for AMOLED displays
- Slit type 狹縫方案 for TFT displays

Color temperature Sensors (RGB)

色溫感測晶片 → 調節螢幕色溫
... screen color temperature control

G3: PS + RGB sensors (2019)

G4: PS + RGB sensors (2021)

- Slit type & under display
- for better reading experience



PS + ALS shipment

2018 : >340M pcs
2019 : >650M pcs
2020 : >720M pcs



Waterdrop Screen

狹縫(Slit) ALS/PS
狹縫(Slit) PS / 屏下 ALS
前攝旁 ALS/PS
(Aside of Front Facing Camera)



Bezel-less Screen

屏下(Under-display) ALS/PS
狹縫(Slit) PS / 屏下 Under-display ALS



近接感測晶片 + 環境光感測晶片 → 前螢幕應用

G1: PS + ALS visible solution 1x

G2: PS + ALS invisible solution → sensitivity 3x → 6x → 10x → 15x
- Under-display solution for AMOLED

G3: PS + RGB visible solution (2019) 1x

G4: PS + RGB invisible solution (2021) 3x (ES: end of June ready)

水滴屏 (Teardrop-shaped)



全景屏 (Full screen)



瀏海屏 (Notch type)



開孔屏 (Aperture type)



16:9 → 18:9 → 19:9 ...

Sensitivity & feature Upgrades → ASP Boosts 感度及功能提升 → 平均價格提升

Upgrading because of increases in...

1. Display resolution
2. PPI density
(resulting in a decrease in light transmittance)
3. AMOLED penetration rate

光學感測晶片 → 手機後相機應用

Optical sensor for Cameras :

3ch RGB sensor

色溫感測晶片 → 協助後相機白平衡校正
white balance correction (2021)

Flicker detection sensors

閃頻偵測晶片 → 協助消除光源物理閃爍
Flicker detection (2021)

3ch RGB sensor :

Camera RGB sensors are used for white balance correction. Different light sources come with different color temperatures, which can create unrealistic color casts in photos. White balance is the process of removing such color casts so that objects that appear white in person are rendered white in the photo. The white balance is automatically corrected and adjusted based on the color temperatures measured by the RGB color temperature sensor and the image sensor. 環境中充斥著各種不同的光線，這些光線有著不同的色溫，因此手機數位相機在進行拍照時，需要對這些光線進行校正，才能呈現出正常的白色。依據 RGB 色溫感測器、影像感測器所測量的色溫來自動校正調整白平衡。

3ch RGB + flicker shipment

2020 : 0

2021 : Stay Tuned



1. White balance (auto) with flash
2. White balance (auto) without flash
3. White balance (fluorescent lamp) without flash
4. White balance (warm lighting) without flash
5. White balance (cold lighting) without flash
6. White balance (daylight) without flash



Flicker detection sensors :


Detects the 50 Hz or 60 Hz flickers produced by incandescent or fluorescent lights. Helps eliminate the streaks and distortion effects caused by the flickering. 用於檢測環境中由白熾燈或螢光燈所產生的 50Hz 或 60Hz 光源物理閃爍。協助手機攝像頭之圖像系統能夠消除人造光源的閃爍而出現的條紋和失真效果。

微機電MEMS感測晶片

Accelerometers (G-sensors)

Rotation detection

加速度感測器 → 屏幕旋轉偵測



- ✓ G-sensors for smartphones
- ✓ Low power g-sensors for wearable & IoT devices



屏幕旋轉
Screen rotation



遊戲
Game control



自動靜音
Automatic mute




光學感測晶片 + 微機電感測晶片 穿戴裝置與非手機領域應用

True wireless stereo (TWS) earbuds

Accelerometers → click detection 敲擊偵測

Proximity sensors → on/off switch 功能啟用開關



FreeBuds 3

敲擊偵測 Click detection

- 有來電時 Incoming call
單擊接聽 Click to answer
雙擊拒接 Double click to reject
- 音樂播放 Music mode
單擊暫停 Click to pause
雙擊換曲 Double click to switch


Smart watches & fitness trackers

Accelerometers → motion detection 移動偵測

Optical sensors → heartbeat detection 心律偵測 & UV sensors 紫外線感測



運動偵測 / 計步 Motion detection



抬手亮屏 / 動態心率輔助 Heartbeat detection




睡眠偵測 / 久坐提醒 Sleep quality monitoring



IV. 經營實績

經營實績



Item	2016	2017	2018	2019	2020
Revenue	869,687	1,053,451	1,935,513	4,806,152	5,296,054
Gross margin	137,375	158,184	649,442	2,018,872	2,127,828
Margin %	15.80%	15.02%	33.55%	42.00%	40.18%
Operating income	4,931	8,751	366,646	1,497,236	1,537,189
Net income	5,169	5,309	326,275	1,322,900	1,365,454
EPS (NT\$)	0.14	0.14	8.64	35.01	28.81

Note: The EPS values listed here are based on the capital of 37,781 thousand shares.

損益表

Item	Q2 2021		Q1~Q2 2021		Q1 2021		Q2 2020		Q1~Q2 2020	
	Results	% of sales	Results	% of sales	Results	% of sales	Results	% of sales	Results	% of sales
Net Sales	1,498,477	-	2,767,018	-	1,268,541	-	1,024,529	-	2,375,012	-
Gross Profit	724,261	48%	1,237,217	44%	512,956	40%	420,572	41%	969,830	41%
Operating Expense	199,247	13%	367,153	13%	167,906	13%	112,178	11%	256,350	11%
Operating Income	525,018	35%	870,073	31%	345,055	27%	308,394	30%	713,480	30%
Income before Tax	536,490	36%	887,167	32%	350,677	27%	311,413	30%	725,953	31%
Net Income*	450,917	30%	746,485	27%	295,568	23%	274,929	27%	639,003	27%
EPS	9.22	-	15.26	-	6.04	-	5.93	-	13.93	-

Unit: NT\$ thousands (except EPS)
Accounting standard: IFRS

* Listed on the English translation of our financial statements as
"Profit (loss), attributable to owners of parent"

資產負債表

Item	2021/6/30	2021/3/31	2020/12/31	2020/9/30	2020/6/30
Total Assets	7,034,889	6,546,874	6,213,228	5,665,950	5,920,992
Current Assets	5,738,903	5,288,197	5,718,727	5,500,709	5,785,995
Cash & Equivalents	3,402,027	2,215,010	3,086,052	1,743,561	1,895,897
AR	489,591	450,143	452,893	489,647	470,727
Inventory	425,377	305,180	320,395	382,448	605,743
Total Liability	2,793,386	2,780,120	1,665,215	1,459,386	2,121,747
AP	802,201	688,059	759,395	616,844	527,754
Shareholder Eqt.	4,241,503	3,766,754	4,548,013	4,206,564	3,799,245

Unit: NT\$ thousands
Accounting standard: IFRS

V. 未來發展

未來研發計畫

1. Optical sensors for smartphone screens 前螢幕應用
 - PS + ALS visible solution 調整顯示亮度
 - High-sensitivity PS + ALS invisible solution → 3x → 6x → 10x → 15x sensitivity
 - PS + RGB visible solution 調整顯示色溫 → invisible solution (ES ready)
2. Optical sensors for smartphone cameras 後相機應用 white balance correction 白平衡校正
 - 3-channel RGB sensors → 6-channel for better color detection (coming soon!)
 - Flicker sensors 閃頻偵測
3. MEMS: Gyroscopes 加速MEMS陀螺儀感測器開發
 - Accelerometers + Gyroscopes (2 in 1) for high-end smartphones (coming soon!)
4. Other applications 其他非手機之應用
 - TWS: proximity sensors & accelerometers
 - Smart watches: ambient light + UV, heartbeat sensors, accelerometers
 - Smart speakers: ambient light sensors
 - ...and more (e.g. auto & industrial)

2020 之前



2021: 三種感測晶片投入手機應用

Flagship 旗艦機

Addressable Market
300-400M/year

Opticals for Displays
Under display
PS+ALS (VCSEL)
Visible
PS+RGB (VCSEL)

Opticals for Cameras
RGB + flicker sensors

High end 高階機

Addressable Market
300-400M/year

Opticals for Displays
Slit type
PS+ALS (IR LED / VCSEL)
Under display
PS+ALS (VCSEL)

Opticals for Cameras
RGB + flicker sensors

Mid range 中階機

Addressable Market
400-500M/year

Opticals for Displays
Slit type
PS+ALS (IR LED)

Opticals for Cameras
Flicker sensors

Low end 低階機

Addressable Market
400-500M/year

Opticals for Displays
Slit type
ALS only



MEMS
Accelerometers

加速MEMS陀螺儀感測晶片研發

加速度計

Accelerometers
(G-sensors)

- 轉屏
- 敲擊
- 遊戲
- 計步



MEMS Sensor



6軸
IMU

- AR/VR
- 室內導航
- 3D遊戲
- 姿態辨識

陀螺儀

Gyroscope

- 遊戲旋轉
- 空中指標
- 光學防抖
- 環景照相



1. 提升整合度 (3 Axis → 6 Axis)
2. 支持中高階手機2 in 1應用需求

展望未來

Flagship 旗艦機

Addressable Market
300-400M/year

Opticals for Displays
Under display
PS+ALS (VCSEL)
Visible
PS+RGB (VCSEL)

Opticals for Cameras
RGB + flicker sensors

High end 高階機

Addressable Market
300-400M/year

Opticals for Displays
Slit type
PS+ALS (IR LED / VCSEL)
Under display
PS+ALS (VCSEL)

Opticals for Cameras
RGB + flicker sensors

MEMS
Accelerometers
+ Gyroscopes

Mid range 中階機

Addressable Market
400-500M/year

Opticals for Displays
Slit type
PS+ALS (IR LED)

Opticals for Cameras
Flicker sensors

MEMS
Accelerometers
+ Gyroscopes


Low end 低階機

Addressable Market
400-500M/year

Opticals for Displays
Slit type
ALS only

MEMS
Accelerometers

敬請期待





謝謝

Strategic Marketing Director

Jacky Chou 周德雲
+886-3-5601000 ext 2206
jacky_chou@sitronix.com.tw

Investor Relations Officer

Vivian Mao 毛廷方
+886-3-5601000 ext 2395
vivian_mao@sitronix.com.tw

6732

昇佳電子股份有限公司